

OA
OPTION AUDIO



USER MANUAL

OA9SV

9" Replacement LCD Monitor Sun Visor

www.optionaudio.com

Welcome

Thank you for choosing an Option Audio product!

All Option Audio products have been designed with one thing in mind; offering you the highest quality products that are easy to use and great value for money.

We manufacture a large range of In-Car Audio Visual products, Speakers, Subwoofers, Amplifiers, GPS and Reverse Camera Systems. To view our product range, please visit our website (www.optionaudio.com).

We appreciate all feedback you may have. Please address this to:

Option Audio
Unit 5, 3-19 University Drive,
Meadowbrook, Qld, 4131
info@optionaudio.com

Ph: 07 3805 5112



AUSSIE OWNED AND
ENGINEERED

Precautions

1. Do not try to repair the unit yourself. If you are experiencing any problems with this product, please turn power off immediately and inform your nearest distributor. The product is comprised of many electronic components. Attempting to repair or disassemble may cause the product to malfunction and void warranty.
2. Do not use chemical detergents to clean. Use a soft cloth to remove dust or dirt on the unit.
3. Keep the unit away from excessive heat or cold.
4. Avoid dropping the unit.
5. For your safety, do not turn on, watch or operate the unit while driving. It is against the law.
6. Operating Voltage: DC 12V
7. To reduce the risk of fire or electric shock, do not expose this product to rain or moisture.


Contents

Welcome.....	i
Precautions.....	i
Function Guide.....	1
How to Install/ Setup.....	2
How to Use.....	2
Technical Specifications.....	3
Additional Product Options.....	3
Warranty.....	4


Function Guide



- ① Up Arrow
- ② Input Selection
- ③ Down Arrow
- ④ Power Button
- ⑤ Rotate Screen



How to Install



1. Replace existing sun visor with the OA9SV and connect to power. (Refer to wiring diagram above.)

Note: For more information on installing this product, please consult your nearest retailer or technician.

How to Use

1. Press the POWER button on the screen/ remote.
2. Press the V1/V2 button to select AV Input.

Menu

1. Press the MENU button to display menu options. Use the ▲ and ▼ buttons to adjust setting.
2. Press the MENU button again to navigate through other menu options.

Menu Options:

Brightness - Contrast - Colour - Tint - Mode - Rotation - Reset

Technical Specifications

9" Replacement LCD Monitor Sun Visor
Display Format: 16:09
Pixel: 800 x 600
Power Supply: DC12V
Power Consumption: 7.5W
Operation Temp. (Deg. C): -10 to 55
Brightness: 350CD/M2
Colour System: PAL/ NTSC/ AUTO
S/N: <9008
Isolution: <6508
Video Input: 1VP_P + 20%

Package Options

The following products are also available to use with your OA9SV:

Commercial/ Industrial Cameras



OACTRD

CCD Dome Mount Camera



OACTRS

CCD Square Mount Camera

Vehicle Cameras



OABCAM

CMOS Butterfly Mount Camera



OABCAMFM

CCD Flush Mount Camera



OACCCBCAM

CCD Butterfly Mount Camera



OASMC

CCD Strip Mount Camera

For assistance in choosing your perfect reverse camera solution, go to www.optionaudio.com/best-reverse-camera.php and try our online reverse camera builder.

Warranty

Option Audio Pty Ltd, (OA) warrant all OA product to be free of defects in material and workmanship for a period of (1) year from the date of original purchase provided they are purchased from an authorized OA reseller in Australia. However, the effective warranty period will be two (2) years if the products were purchased from and installed by an Authorised OA Reseller. Do not try to repair the unit yourself. If you are experiencing any problems with this product, please turn power off immediately and inform your nearest retailer. The product is comprised of many electronic components. Attempting to repair or disassemble may cause the product to malfunction and void warranty.

WHAT IS COVERED - Parts and labour to effect or, at the sole discretion of OA, replace of either any malfunction or defective part(s) to or the entire system should the system or any component part(s) there of all to perform as designed.

WHAT IS NOT COVERED - Installation or setup and repair or replacement of the system or any parts thereof which, in OA judgment, fail or become damaged as a result of negligence, improper use, abuse, unauthorised modification or service, improper or inadequate packaging during shipment, installation by a non-authorized dealer, accident, or use for any purpose other than those for which this product was originally intended, or where the model's serial number has been removed, altered or defaced. The warranty is non transferable. Option Audio will not accept consequential damages as a result of product failure.

WHO IS COVERED - Original purchaser as long as they reside in an area which an OA reseller can be provided with the original date of purchase (e.g. store receipt from an OA retailer). Product returned for repair/service must be properly packaged and clearly marked with the Return Authorization (RA) number issued by OA Reseller. If the RA number is not clearly marked or the package or no RA number was issued by OA Reseller the RA will be returned to the OA reseller. All warranty enquires will be handled through the reseller and not directly with the customer.



OPTION AUDIO

www.optionaudio.com